

19-inch network cabinet Basic „glass door“

roline[®]
Designed for Professionals

Data sheet



The network cabinets in the ROLINE Basic series have been developed to enable simple and particularly cost-efficient network expansion. Strategically placed cable inlets ensure effortless installation depending on the application. Each cabinet consists of a robust steel construction with a material thickness of up to 1.5 mm sheet steel.

Characteristics:

- Load capacity: 600 kg
- Tempered glass front door
- Locking system with swivel lever handle on front door
- 1-point locking system on the front door
- Rear and side panels are lockable and removable
- Pre-assembled 4 levelling feet
- Base with punched cable inlet
- Roof with cut-out for fan modules
- Incl. mounting material
- Colour: Light grey, RAL 7035 or Jet black, RAL 9005
- IP protection class: IP20
- Mounted: Yes

19-inch network cabinet Basic „glass door“

roline[®]
Designed for Professionals

Data sheet

The ROLINE Basic series offers a versatile selection of network enclosures in various height units from 22 U to 42 U and in the

colours grey (RAL 7035) and black (RAL 9005).

Manuf. no.	Height	Width (mm)	Depth (mm)	Colour / RAL
26.21.0031	22 U	600	600	grey / RAL 7035
26.21.0200	22 U	600	600	black / RAL 9005
26.21.0032	22 U	600	800	grey / RAL 7035
26.21.0201	22 U	600	800	black / RAL 9005
26.21.0033	22 U	800	800	grey / RAL 7035
26.21.0202	22 U	800	800	black / RAL 9005
26.21.0035	26 U	600	600	grey / RAL 7035
26.21.0204	26 U	600	600	black / RAL 9005
26.21.0036	26 U	600	800	grey / RAL 7035
26.21.0205	26 U	600	800	black / RAL 9005
26.21.0037	32 U	600	600	grey / RAL 7035
26.21.0206	32 U	600	600	black / RAL 9005
26.21.0038	32 U	600	800	grey / RAL 7035
26.21.0207	32 U	600	800	black / RAL 9005
26.21.0039	32 U	800	800	grey / RAL 7035
26.21.0208	32 U	800	800	black / RAL 9005
26.21.0042	42 U	600	600	grey / RAL 7035
26.21.0211	42 U	600	600	black / RAL 9005
26.21.0043	42 U	600	800	grey / RAL 7035
26.21.0212	42 U	600	800	black / RAL 9005
26.21.0040	42 U	600	1000	grey / RAL 7035
26.21.0209	42 U	600	1000	black / RAL 9005
26.21.0047	42 U	800	800	grey / RAL 7035
26.21.0216	42 U	800	800	black / RAL 9005
26.21.0044	42 U	800	1000	grey / RAL 7035
26.21.0213	42 U	800	1000	black / RAL 9005

19-inch network cabinet Basic „glass door“

roline[®]
Designed for Professionals

Data sheet



Tempered glass front door




Rear panel without cable entry



Removable side panels



Locking system with swivel lever handle



Base plate with cable feed



Roof with cut-outs for ventilation