


# ROLINE PDU for Cabinet, 8x socket, 45°, 16A, with Switch, UTE Version, black, 2 m

<b>Product No.</b>	19.07.1618
<b>Manufacturer</b>	ROLINE
<b>Manufacturer No.</b>	19.07.1618
<b>EAN (single piece)</b>	7630049634558



## 19" PDU with switch, UTE version, 1U for installation in 19" racks, incl. installation brackets.

- 19 "socket (1U) for installation in 19" cabinets, incl. installation angle
- Arrangement of sockets: 45°
- 8 sockets UTE, CEE 7/3, Type-F
- Profile of anodized aluminum
- Lighted switch
- Mounting length: 475 mm
- Product size: 496 x 44.4 x 44.4 mm

- Cable type: 2.0m H05VV-F 3G 1.50mm<sup>2</sup>, black
- Max load/power: 16A 3600W
- Color: black
- Width: 496mm

### Technical specifications

Manufacturer	ROLINE
Product group	Power Bars

Product type	19" power strip
Colour	black
Length	2 m
Scope of delivery	PDU
Function	19" Socket
Mounting form	19" Rackmount
Max. capacitance	3600
Max. voltage	250V AC
ON/OFF Switch	yes
Number of socket pots	8
Quantity of outputs/angles	8 / 45°
Output alignment	Line
Socket type	3P. German, CEE 7/3, Type-F
Material (casing)	Aluminium
Colour (Design profile)	black
Connection cable	H05VV-F 3G 1,5mm <sup>2</sup>
Colour (Cable)	black
Connector plug	CEE 7/7 German Type
Plug type	3P. German, CEE 7/7, Type-E/F
Regional use	France, Czech Republic, Slovakia
Height	44.4 mm
Width	496 mm
Depth	44.4 mm
Weight	834 g
Height of packaging (single piece)	80 mm
Width of packaging (single piece)	110 mm
Depth of packaging (single piece)	500 mm

Package weight (single piece) 1 kg