


VALUE PoE++ 2.5 Gigabit Ethernet Switch, 8x Port (4xPoE++ & 4xPoE+) + 1 Uplink Port (10 GbE SFP+)

Product No.	21.99.1189
Manufacturer	VALUE
Manufacturer No.	21.99.1189
EAN (single piece)	7630049628885



2.5 Gigabit Ethernet switch with 8 ports (including 4 ports PoE++ and 4 ports PoE+) and 1 uplink port (for an SFP+) for small or medium-sized network environments. The switch can be used as a central switch for smaller networks as well as for large networks at the edge (access layer).

This 2.5 Gigabit Ethernet PoE switch is designed for small or medium network environments to strengthen its network connection. It converts standard 100~240V/AC power into low-voltage DC that runs over an existing LAN cable to power up Power over Ethernet (PoE) compliant network accessories like e.g. workgroup switches, network cameras, access points, IP-phones.

- 8x 2.5 GBase-T Auto-Negotiation PoE ports with 1x Uplink SFP+ Port (10 Gigabit)
- Compliant with IEEE802.3af/at/bt standard
- IEEE802.3x flow control for Full-Duplex Mode and back-pressure for Half-Duplex Mode
- Bandwidth 60Gbit/s
- Detects your PoE devices according to PoE standard
- Supports automatic detect functionality to protect the system when the system power is overloaded or there is non-POE device
- LED indicators for monitoring power, link activity and speed
- Switching method: Store-and-forward
- Metal casing
- Max. PoE power: 1-4th ports max. 90W; 5-8th ports max. 30W
- Maximum power of power supply: 150W
- Contents: Switch, power cord, manual

PoE+/PoE++ resource management: the switch supports PoE+/PoE++ connections with up to 30W per port. Total switch consumption is limited to 150 watts to prevent excessive heat dissipation. With Power over Ethernet, the ports are prioritized numerically (1-2-3-...) and switched off from back to front at full load.

Technical specifications

Manufacturer	VALUE
Product group	Network Switches
Product type	PoE Gigabit Switch
Colour	black
Scope of delivery	Switch, power cord, manual
Network standard	2.5 Gigabit Ethernet
LAN (Mbps)	10/100/1000/2500
Quantity of ports	9
2.5 Gigabit Ethernet Ports RJ-45	8
Gigabit Ethernet Ports Fibre	1
Free slots for SFPs	1
Power over Ethernet (PoE)	PoE
Quantity of PoE ports	8
Max. PoE output power per port	90 W
Max. PoE output power (total)	150 W
Dimensions (HxWxD)	44 x 282 x 180 mm
Power supply unit (internal/external)	External
Mains connection	Cold appliance connection
Height	44 mm
Width	282 mm
Depth	180 mm

Weight	1115.5 g
Height of packaging (single piece)	60 mm
Width of packaging (single piece)	250 mm
Depth of packaging (single piece)	320 mm
Package weight (single piece)	2 kg