## ROLINE GREEN DisplayPort Cable, v1.4, DP-DP, M/M, black, 1 m

Product No. 11.44.5810

Manufacturer ROLINE GREEN

Manufacturer No. 11.44.5810

**EAN (single piece)** 7630049619784











ROLINE DisplayPort Cable with DP connection on both sides for connecting an Ultrabook, Notebook/Laptop or PC to a monitor, TV or projector - for screen transmissions in excellent quality with resolutions of up to 7680x4320 @60Hz!

- DisplayPort is a universal connection standard for the transmission of picture and sound signals, widely known and appreciated in computer, industry and modern house wiring. Applications include mainly the connection of monitors or projectors to computers, notebooks/laptops, ultrabooks, NUCs and similar devices.
- The connector requires less space than VGA or DVI and is therefore more suitable for portable devices for two connectors on a graphics card (on one slot plate).
- DisplayPort v1.4 supports Display Stream Compression 1.2a (DSC), Forward Error Correction and the HDR10 standard.
- DP v1.4 can reach a maximum resolution of 8K (7680x4320) @60Hz or 4K (3840x2160) @120Hz
- The practical plug design prevents the cable from slipping out of the DisplayPort socket and guarantees a stable audio and video transmission.
- Compliant DP v1.4 (max. 7680 x 4320 @60Hz)

ROLINE GREEN products are marked only with a paper tag and build with halogenfree TPE material, without plastic bags and without plastic cable straps for use in eco-friendly environments.

Manufacturer ROLINE GREEN  Product group Cable  Product type DisplayPort Monitor Cable  Colour black  Length 1 m  Scope of delivery Cable without plastic bag, only marked with a paper label  Transfer quality DisplayPort v1.4  Max. resolution 7680 x 4320 @60Hz (8K, UHD-2)  side 1 connector DisplayPort M  side 2 connector DisplayPort M  Side 1 Connector Type DisplayPort  Side 1 Connector Male  Gender  Side 2 Connector Type DisplayPort  Side 1 Connector Type DisplayPort  Side 2 Connector Type DisplayPort  Side 3 Connector Type DisplayPort  Side 4 Connector Type DisplayPort  Side 5 Connector Type DisplayPort  Side 5 Connector Type DisplayPort  Side 6 Connector Type DisplayPort  Side 7 Connector Type DisplayPort  Side 8 Connector Type DisplayPort  Side 9 Connector Type DisplayPort  Side 9 Connector Type DisplayPort  Side 9 Connector Type DisplayPort  Side 1 Connector Type DisplayPort  Male  Screened  Material (external cable Type Type Type Type Type Type Type Typ	Technical specifications		
Product type DisplayPort Monitor Cable Colour black Length 1 m Scope of delivery Cable without plastic bag, only marked with a paper label Transfer quality DisplayPort v1.4 Max. resolution 7680 x 4320 @60Hz (8K, UHD-2) side 1 connector DisplayPort M side 2 connector DisplayPort M Side 1 Connector Type DisplayPort Side 1 Connector Male Gender Side 2 Connector Wale Gender Side 2 Connector Type DisplayPort Side 2 Connector Side 2 Connector Type DisplayPort Side 3 Connector Type DisplayPort Side 4 Connector Type DisplayPort Side 5 Connector Type DisplayPort Side 6 Connector Type DisplayPort Side 7 Connector Type DisplayPort Side 8 Connector Type DisplayPort Side 9 Connector Type DisplayPort Side 1 Connector Type DisplayPort Side 2 Connector Type DisplayPort Side 3 Connector Type DisplayPort Side 4 Connector Type DisplayPort Side 5 Connector Type DisplayPort Side 6 Connector Type DisplayPort Side 7 Connector Type DisplayPort Side 8 Connector Type DisplayPort Side 9 Connector Type DisplayPort M Side	Manufacturer	ROLINE GREEN	
Colour black Length 1 m Scope of delivery Cable without plastic bag, only marked with a paper label Transfer quality DisplayPort v1.4 Max. resolution 7680 x 4320 @60Hz (8K, UHD-2) side 1 connector DisplayPort M Side 2 connector DisplayPort M Side 1 Connector Type DisplayPort Side 1 Connector Male Gender Side 2 Connector Type DisplayPort Side 2 Connector Type DisplayPort Side 2 Connector Male Gender Area of application External Cable shielding Screened Material (external cable mantle) Cable LSOH halogen-free Weight 54.9 g Height of packaging (single piece)	Product group	Cable	
Length 1 m Scope of delivery Cable without plastic bag, only marked with a paper label Transfer quality DisplayPort v1.4  Max. resolution 7680 x 4320 @60Hz (8K, UHD-2) side 1 connector DisplayPort M side 2 connector DisplayPort M Side 1 Connector Type DisplayPort Side 1 Connector Male Gender Side 2 Connector Male Gender Side 2 Connector Male Gender Area of application External Cable shielding Screened Material (external cable mantle) Cable LSOH halogen-free Weight 54.9 g Height of packaging (single piece)  Transfer quality DisplayPort v1.4  Max. resolution application Male DisplayPort M  Side 2 Connector Male  External  External  TPE  Halogen-free  Weight 54.9 g  Height of packaging (single piece)	Product type	DisplayPort Monitor Cable	
Scope of delivery Cable without plastic bag, only marked with a paper label Transfer quality DisplayPort v1.4  Max. resolution 7680 x 4320 @60Hz (8K, UHD-2)  side 1 connector DisplayPort M  side 2 connector DisplayPort M  Side 1 Connector Type DisplayPort  Side 1 Connector Male Gender  Side 2 Connector Gender  Side 2 Connector Gender  Area of application External Cable shielding Screened  Material (external cable mantle)  Cable LSOH halogen-free  Weight 54.9 g  Height of packaging (single piece)  Area on a paper label DisplayPort v1.4  Make  Historial (external cable mantle)  Screened  Material (external cable mantle)  Screened  Material (external cable mantle)  Screened  Material (external cable mantle)	Colour	black	
Transfer quality  Max. resolution  7680 x 4320 @60Hz (8K, UHD-2)  side 1 connector  DisplayPort M  side 2 connector  DisplayPort M  Side 1 Connector Type  DisplayPort  Side 1 Connector  Gender  Side 2 Connector  Male  Gender  Side 2 Connector Type  DisplayPort  Side 2 Connector Male  Gender  Area of application  External  Cable shielding  Screened  Material (external cable mantle)  Cable LSOH  halogen-free  Weight  54.9 g  Height of packaging (single piece)  DisplayPort  Area of application  External  Cable LSOH  halogen-free  Weight  54.9 g  Height of packaging (single piece)	Length	1 m	
Max. resolution 7680 x 4320 @60Hz (8K, UHD-2) side 1 connector DisplayPort M side 2 connector DisplayPort M Side 1 Connector Type DisplayPort Side 1 Connector Male Gender Side 2 Connector Type DisplayPort Side 2 Connector Type DisplayPort Side 2 Connector Male Gender Area of application External Cable shielding Screened Material (external cable mantle) Cable LSOH halogen-free Weight 54.9 g Height of packaging (single piece)  2 DisplayPort Male  6 DisplayPort  Male  6	Scope of delivery	Cable without plastic bag, only marked with a paper label	
side 1 connector DisplayPort M  side 2 connector DisplayPort M  Side 1 Connector Type DisplayPort  Side 1 Connector Male  Gender  Side 2 Connector Type DisplayPort  Side 2 Connector Type DisplayPort  Side 2 Connector Male  Gender  Area of application External  Cable shielding Screened  Material (external cable mantle)  Cable LSOH halogen-free  Weight 54.9 g  Height of packaging (single piece)	Transfer quality	DisplayPort v1.4	
side 2 connector DisplayPort M  Side 1 Connector Type DisplayPort  Side 1 Connector Male Gender  Side 2 Connector Type DisplayPort  Side 2 Connector Male Gender  Area of application External  Cable shielding Screened  Material (external cable mantle)  Cable LSOH halogen-free  Weight 54.9 g  Height of packaging (single piece)	Max. resolution	7680 x 4320 @60Hz (8K, UHD-2)	
Side 1 Connector Type DisplayPort  Side 1 Connector Male Gender  Side 2 Connector Type DisplayPort  Side 2 Connector Male Gender  Area of application External Cable shielding Screened  Material (external cable mantle)  Cable LSOH halogen-free  Weight 54.9 g  Height of packaging (single piece)	side 1 connector	DisplayPort M	
Side 1 Connector Gender  Side 2 Connector Type  Side 2 Connector  Male  Side 2 Connector  Male  Gender  Area of application  External  Cable shielding  Screened  Material (external cable mantle)  Cable LSOH  Halogen-free  Weight  54.9 g  Height of packaging (single piece)	side 2 connector	DisplayPort M	
Gender  Side 2 Connector Type DisplayPort  Side 2 Connector Male  Gender  Area of application External  Cable shielding Screened  Material (external cable mantle)  Cable LSOH halogen-free  Weight 54.9 g  Height of packaging (single piece)	Side 1 Connector Type	DisplayPort	
Side 2 Connector Gender  Area of application  External  Cable shielding  Screened  Material (external cable mantle)  Cable LSOH  Height of packaging (single piece)  Male  Male  External  External  External  Screened  TPE  TPE  TPE  TPE  TOTAL Cable  Streened  TPE  TPE  TOTAL Cable  TPE  TOTAL Cable  Streened  TPE  TPE  TOTAL Cable  TPE  TOTAL Cable  Streened  TPE  TOTAL Cable  TPE  TOTAL Cable  Streened  TPE  TOTAL Cable  TOTA		Male	
Gender  Area of application External  Cable shielding Screened  Material (external cable mantle)  Cable LSOH halogen-free  Weight 54.9 g  Height of packaging (single piece)	Side 2 Connector Type	DisplayPort	
Cable shielding  Material (external cable mantle)  Cable LSOH  Malogen-free  Weight  54.9 g  Height of packaging (single piece)		Male	
Material (external cable mantle)  Cable LSOH halogen-free  Weight 54.9 g  Height of packaging (single piece)	Area of application	External	
mantle)  Cable LSOH halogen-free  Weight 54.9 g  Height of packaging (single piece)	Cable shielding	Screened	
Weight 54.9 g  Height of packaging 20 mm (single piece)	·	TPE	
Height of packaging 20 mm (single piece)	Cable LSOH	halogen-free	
(single piece)	Weight	54.9 g	
Width of packaging 100 mm		20 mm	
(single piece)	Width of packaging (single piece)	100 mm	

Depth of packaging (single piece)	100 mm
Package weight (single piece)	0.055 kg