

# ROLINE GREEN UTP Data Center Patch Cord Cat.6A (Class EA), LSOH, Slim, grey, 0.15 m

|                           |               |
|---------------------------|---------------|
| <b>Product No.</b>        | 21.44.3900    |
| <b>Manufacturer</b>       | ROLINE GREEN  |
| <b>Manufacturer No.</b>   | 21.44.3900    |
| <b>EAN (single piece)</b> | 7630049623736 |



**Category 6A twisted-pair patch cable with RJ-45 connectors on both sides. Particularly thin and flexible cable with individual pairs of wires for use in confined spaces, such as in data centres.**

- Durable thanks to moulded-on kink protection
- Suitable as patch cable in patch panels or as device connection cable and intended for use in the LAN
- Contact assignment: 1:1 according to EIA/TIA568, 8 cores
- Structure: 8 cores stranded wire

**ROLINE GREEN products are marked only with a paper tag and build with halogen-free TPE material, without plastic bags and without plastic cable straps for use in eco-friendly environments.**

## Technical specifications

|               |                    |
|---------------|--------------------|
| Manufacturer  | ROLINE GREEN       |
| Product group | Twisted Pair Cable |
| Product type  | UTP Patch Cables   |

|                                    |   |
|------------------------------------|---|
| Colour                             | grey  |
| Length                             | 0.15 m  |
| Scope of delivery                  | Cable without plastic bag, only marked with a paper label |
| Shield type                        | UTP   |
| Transfer quality                   | Cat6A / Class EA  |
| Quantity of wires                  | 8   |
| Conductor type                     | Wire  |
| Crossed                            | no  |
| Slim cable                         | yes   |
| Locking lever                      | yes   |
| Anti-kink sleeve                   | Moulded-on  |
| Colour (Spout)                     | grey  |
| Cable LSOH                         | yes   |
| Material (external cable mantle)   | LSOH-TPE  |
| Side 1 Connector Type              | RJ-45   |
| Side 1 Connector Gender            | Male  |
| Side 2 Connector Type              | RJ-45   |
| Side 2 Connector Gender            | Male  |
| Connector Type RJ45                | Standard  |
| Operating temperature min.         | -10 °C  |
| Operating temperature max.         | 60 °C   |
| Weight                             | 8 g   |
| Height of packaging (single piece) | 20 mm   |
| Width of packaging (single piece)  | 30 mm   |

|                                      |       |
|--------------------------------------|-------|
| Depth of packaging<br>(single piece) | 30 mm |
|--------------------------------------|-------|

|                                  |         |
|----------------------------------|---------|
| Package weight (single<br>piece) | 0.01 kg |
|----------------------------------|---------|